



CorePro LED candles and lusters

CorePro LEDcandle ND 4-25W E14 827 B35 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General Information		LLMF At End Of Nominal Lifetime (Nom)	
Cap-Base	E14 [E14]		70 %
Reddot Design Award Winner mark	Reddot Design Award Winner 2016	Operating and Electrical	
Nominal Lifetime (Nom)	15000 h	Input Frequency	50 to 60 Hz
Switching Cycle	50000X	Power (Rated) (Nom)	4 W
Technical Type	4-25W	Lamp Current (Nom)	35 mA
Light Technical		Wattage Equivalent	25 W
Color Code	827 [CCT of 2700K]	Starting Time (Nom)	0.5 s
Luminous Flux (Nom)	250 lm	Warm Up Time to 60% Light (Nom)	0.5 s
Luminous Flux (Rated) (Nom)	250 lm	Power Factor (Nom)	0.4
Color Designation	Warm White (WW)	Voltage (Nom)	220-240 V
Correlated Color Temperature (Nom)	2700 K	Temperature	
Luminous Efficacy (Rated) (Nom)	62.50 lm/W	T-Case Maximum (Nom)	75 °C
Color Consistency	<6		
Color Rendering Index (Nom)	80		

CorePro LED candles and lusters

Controls and Dimming

Dimmable No

Mechanical and Housing

Bulb Finish Frosted

Approval and Application

Energy Efficiency Label (EEL) A+


Energy Consumption kWh/1000 h 4 kWh

Product Data

Full product code 871829178701300

Order product name	CorePro LEDcandle ND 4-25W E14 827 B35 FR
EAN/UPC - Product	8718291787013
Order code	929001157402
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001157402
Net Weight (Piece)	0.040 kg


Dimensional drawing




LED ND 4-25W E14 827 220-240V B35 FR

Product	D	C
CorePro LEDcandle ND 4-25W E14 827 B35 FR	35 mm	106 mm

Photometric data




Catalux Photometrics 4.1 Philips Lighting B.V. Page 1/17



CorePro LEDcandle 4-25W E14 827 FR B35


CorePro LED candles and lusters

Photometric data




CorePro 822-827

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

